



**#NeverStopRising**

**Mahansaria Tyres Pvt. Ltd.**


3rd Floor, Peninsula Chambers, Ganpat Rao Kadam Marg, Lower Parel West,  
Mumbai 400013, India

T: +91 22 4348 1600

E: [enquiry@ascensotyres.com](mailto:enquiry@ascensotyres.com) ■ W: [www.ascensotyres.com](http://www.ascensotyres.com)



For more information, please scan the QR code below.



Please sign and stamp inside the box  
Distributor/Dealer

Presenting  
**BOSS** *Switch to Ascenso Tyres to  
experience unbeatable performance*







## About Ascenso Tyres

Ascenso is an off-highway tyre brand owned and promoted by Mahansaria Tyres Private Limited (MTPL), having an experience of about three decades in the off-highway tyre business. Designed keeping in mind absolutely everything: vehicle types, terrain, weather conditions, and category.



## Skid Steer & Soil Compactor:

We understand that in your business, many things ride on our tyres. Our tyres are robust & durable, with guaranteed safety and maximum performance that allows smooth business operations.



### SSB 331

#### Deep Tread And Optimized Spaced Lugs:

Ensures high traction and improves self-cleaning abilities

#### Extra Strong Casing:

Higher load-carrying capacity in all applications

#### Special Tread Compound:

High tear and cut, resistance in loading operations

Sr. No	Tire Sizes	PR
1	10-16.5	8/10
2	12-16.5	10/12
3	14-17.5	14
4	15-19.5	14

### SSB 332

#### Extra Deep Tread Depth:

Superior traction and long life

#### Wider And Sturdier Blocks:

High stability and puncture resistance

#### Advanced Tread Compound:

Excellent wear resistance in severe conditions

Sr. No	Tire Sizes	PR
1	10-16.5	10
2	12-16.5	12



### PCB 360

#### Large Tread Area:

Increases flotation and minimises ground disturbance in soil compaction operations

#### Optimised Diamond Lug Pattern with Sipes:

Reduces groove cracks and minimises slippage

#### Good Rubber Coverage on Tread Base:

Ensures puncture and impact resistance, thereby reducing downtime

Sr. No	Tire Sizes	PR
1	23.1-26	8/12/16
2	28L-26	16





## Tipper Truck (Off Road):

Sturdy tyres for the sturdiest of equipment. Designed specifically for the toughest conditions in one of the world's most demanding work environments. Pick the one that suits your needs the best.



### BOSS ML 35

#### Non-directional Tread Design:

Provides best traction and stability in reverse and forward direction

#### Specially-designed CPR Compound:

- Cooler running to prevent tread separation
- Provides excellent puncture resistance
- Ensures superior retreadability

Sr. No	Tire Sizes	PR
1	10.00-20	18
2	11.00-20	18
3	12.00-20	18

### BOSS ML 36

#### Non-directional Tread Design:

Provides best traction and stability in reverse and forward direction

#### Specially-designed CPR Compound:

- Cooler running to prevent tread separation
- Provides excellent puncture resistance
- Ensures superior retreadability

Sr. No	Tire Sizes	PR
1	12.00-24	20



## Backhoe Loader:

Robust and durable tyres for your day-to-day business. We innovate passionately to deliver uncompromised quality, prioritising safety, and performance, so that you can carry your business as smoothly as you want to. Choose from our collection and find your expert co-traveller.



### BOSS BH 31

#### Unique XD Pattern:

- Higher mileage
- More load-carrying capacity
- Greater traction

#### Specially-designed CCR Compound:

Cut and chip-resistant compound provides excellent resistance to severe terrain conditions and improves retreadability

Sr. No	Tire Sizes	PR
1	14.00-25	20

### BOSS BH 32

#### Unique 'U' Pattern:

Improved traction under heavy-duty service conditions

#### Specially-designed CCR Compound:

Cut and chip-resistant compound provides excellent resistance to severe terrain conditions

Sr. No	Tire Sizes	PR
1	9.00-16	16



### BOSS BH 30

#### Unique XAD Pattern:

- Uniform wear
- Less slippage
- Improved fuel efficiency

#### Specially-designed CCR Compound:

Cut and chip-resistant compound provides excellent resistance to severe terrain conditions

Sr. No	Tire Sizes	PR
1	12.5/80-18	12/14
2	16.9-24	14
3	17.5L - 24	16
4	18.4 - 26	14
5	16.9 - 28	12/14



## Motor Grader:

We aim to provide our business partners with long-lasting tyres that are specially designed for Industrial Applications.



### MIB 406

#### Robust Solid Centre Block Pattern:

- Provides maximum ground contact
- Ensures even load distribution
- Suitable for rugged terrains
- Open shoulder lug pattern provides excellent traction

Sr. No	Tire Sizes	PR
1	13.00-24	14
2	14.00-24	16
3	15.5-25	12
4	17.5-25	16

### TGB 610

#### Open Tread Design:

Optimum traction on soil, sand, rock, and gravel

#### Reinforced Carcass:

Withstands grading operation

#### Abrasion Resistant Tread Compound:

Ensures longer service life and low operating cost

Sr. No	Tire Sizes	PR
1	13.00-24	12/16
2	14.00-24	12/16



### BOSS TG 60 (Sea wave pattern)

#### Tread Pattern:

Optimises traction and durability on uneven & hard terrain with an Extra-Deep Non-Directional Tread Pattern

#### Optimised Lug-To-Void Ratio:

Offers better traction for use on both soft and hard terrains

Sr. No	Tire Sizes	PR
1	14.00-24	16



## Concrete Mixer:

MPB 400 has been specially designed for heavy concrete mixture machinery. Its versatile tread pattern and tread compound provides excellent traction for enhanced directional stability.



### MPB 400

#### Specially-designed For Multipurpose Applications:

- Wider centre lug for comfort & smooth ride
- Designed for better grip & traction
- Increased carcass strength for durability

Sr. No	Tire Sizes	PR
1	10.0/75-15.3	18
2	18-19.5	16/18
3	12.5-20	12

### BOSS BH 30

#### Unique XAD Pattern:

- Uniform wear
- Less slippage
- Improved fuel efficiency

#### Specially-designed CCR Compound:

Cut and chip-resistant compound provides excellent resistance to severe terrain conditions

Sr. No	Tire Sizes	PR
1	12.5/80-18	12/14



### THB 230

#### Specially-designed Directional Tread Pattern:

- Ensures traction & self-cleaning properties
- Provides excellent stability during vehicle operation

#### Strong Nylon Carcass:

Safeguards the tyre against failures

Sr. No	Tire Sizes	PR
1	405/70-20 (16.0/70-20)	14
2	405/70-24 (16.0/70-24)	14